

BVHA 系列 Series



性能表 Performance

型號 Model	曲線 編號 Curve No.	頻率 Frequency (Hz)	功率 Output (kW)	電壓 Voltage (V)	滿載額定電流 Current (A)	靜壓 吸 Vacuum / 吐 Compressor (mbar)	最大風量 Max Airflow (m ³ /min)	噪音 Noise (dB)A	重量 Weight (Kg)
BVHA-15KW	D53	50	13	200-240△/345-415Y	46.8△/ 27.0Y	280 / 235	19.2	76	161
	G53	60	15	220-275△/380-480Y	51.5△/ 29.8Y	220 / 145	23	84	161
BVHA-22KW	D54	50	20	200-240△/345-415Y	66.7△/ 38.6Y	360 / 350	19.2	76	184
	G54	60	22	220-275△/380-480Y	76.0△/ 44.0Y	400 / 350	23	84	184
BVHA-29KW	D55	50	25	200-240△/345-415Y	88.5△/ 51.0Y	440 / 550	19.2	76	201
	G55	60	29	220-275△/380-480Y	92.0△/ 53.2Y	440 / 460	23	84	201

※附註 / Remark：1.上述資料供參考，如有不同以實品為主。

Information above is for reference, product only when different.


2.本公司保有設計變更之權利，恕不另行通知。

We reserve the right to change the design without notice.

3.如有任何疑問請洽經銷商或本公司。

Should you require any further information or assistance, please do not hesitate to contact us or distributors.

BVHA 系列曲線圖 Curve



Technical drawing of the rear view of a motor. The drawing shows a circular fan with 16 blades. The dimensions are as follows:

- Total width: 410
- Total height: 590
- Height from base to top of fan: 510
- Height from base to center of fan: 304
- Height from base to bottom of fan: 94
- Radius of the fan hub: 150
- Width of the base: 105
- Width of the base from centerline: 16
- Height of the mounting flange: 247

